

# NACHI 7230BDF angular contact ball bearings

NACHI 7230BDF angular contact ball bearings Industries and Applications ? 260 Outer Diameter (mm) We sell discount online as well as 190x260x45 Size (mm) 190 Bore Diameter (mm) cheap machinery parts.

Size (mm)	190x260x45
Bore Diameter (mm)	190
Outer Diameter (mm)	260
Width (mm)	45
d	190 mm
D	260 mm
T	45 mm
B	45 mm
C	34 mm
a	55 mm
d1	227 mm
r1 min.	2,5 mm
r2 min.	2,5 mm
r3 min.	2 mm
r4 min.	2 mm
Ca min.	8 mm
Cb min.	11 mm
da max	204 mm
Da min	235 mm
Da max.	248 mm
db min	200 mm

Db min.	251 mm
ra max.	2.5 mm
rb max.	2 mm
Weight	7 Kg
Basic dynamic load rating (C)	358 kN
Basic static load rating (C0)	765 kN
Fatigue load limit (Pu)	72
Reference speed	1600 r/min
Limiting speed	2400 r/min
Calculation factor (e)	0,48
Calculation factor (Y)	1,25
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	7.166
EAN	7316577120779
Product Group	B04334
bore diameter:	190 mm
dynamic load capacity:	358 kN
cup width:	34 mm
static load capacity:	765 kN
assembly type:	Cone & Cup
finish/coating:	Uncoated
outside diameter:	260 mm
maximum rpm:	2400 RPM
cone width:	45 mm
flange type:	Non-Flanged Cup
closure type:	Open
standards met:	ISO 355

cage material:	Steel
Dimension series	4DC
d1 ≈	227.49 mm
r1,2 min.	2.5 mm
r3,4 min.	2 mm
da max.	205 mm
db min.	204 mm
Da min.	235 mm
Basic dynamic load rating C	443 kN
Basic static load rating C0	765 kN
Fatigue load limit Pu	72 kN
Calculation factor e	0.48
Calculation factor Y	1.25
Calculation factor Y0	0.7
Mass bearing	7 kg