

# NACHI 7306BDF angular contact ball bearings

Advance NACHI 7306BDF angular contact ball bearings is your source for quality and accessories. shop online for N/A Minimum Buy Quantity home delivery NSK Manufacturer Name or pick 0.0 Inventory up in one of our 10000 .

Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight	23
EAN	0029176006494
Product Group	B04311
Internal Clearance	C3-Loose
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Tapered
Cage Material	Steel
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	AH3132 (Specify bore)
Inch – Metric	Metric
Long Description	160MM Tapered Bore; 290MM Outside Diameter; 80MM Width; C3-Loose Clearance; Adapter Mount; Double Ro

Other Features	Order adapter or withdrawal sleeve or nut separately. Others may be available
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Manufacturer Item Number	22232CDKE4C3
Weight / LBS	23
D	11.417 Inch   290 Millimeter
d	6.299 Inch   160 Millimeter
B	3.15 Inch   80 Millimeter
Adapter Part Number	SNW3132 H3132 HA3132 HE3132 (Specify bore) Inch   H3132 (Specify bore) Millimeter
bore diameter:	160 mm
maximum rpm:	1500 RPM
outside diameter:	290 mm
operating temperature range:	Maximum of +200 °C
overall width:	80 mm
cage material:	Steel
bore type:	Tapered 1:12
bearing material:	Steel
outer ring type:	Not Split
cage type:	Inner Ring Guided
internal clearance:	C3
precision rating:	RBEC 1 (ISO Class Normal)
closure type:	Open
finish/coating:	Uncoated
lubrication hole type:	Lubrication Groove & Hole

outer ring width:	80 mm
dynamic load capacity:	910000 N
fillet radius:	3 mm
static load capacity:	1320000 N
series:	222