

NACHI E5008NRNT cylindrical roller bearings

What is NACHI E5008NRNT cylindrical roller bearings in mechanical engineering? Manufacturing 75x115x20 Size (mm) Service . Upload your CAD file for an instant.

Size (mm)	75x115x20
Bore Diameter (mm)	75
Outer Diameter (mm)	115
Width (mm)	20
d	75 mm
D	115 mm
B	20 mm
C	20 mm
r min.	1,1 mm
da min.	81,5 mm
Da max.	108,5 mm
ra max.	1 mm
Weight	0,638 Kg
Basic dynamic load rating (C)	39,6 kN
Basic static load rating (C0)	33,5 kN
(Grease) Lubrication Speed	5700 r/min
(Oil) Lubrication Speed	6800 r/min
Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	0.698
EAN	0605790048722

Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	75MM Bore; 115MM Outside Diameter; 20MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer Item Number	6015
Weight / LBS	1.538
Outer Race Width	0.787 Inch 20 Millimeter
Outside Diameter	4.528 Inch 115 Millimeter
Bore	2.953 Inch 75 Millimeter
Bearing No.	6015
r(min)	1.1
Cr	49.4
C0r	33.5
Cu	1.90
f0	15.8
Grease lub.	5700

Oil lub.	6800
da(min)	81.5
Da(max)	108.5
ra(max)	1
(Refer.)Mass(kg)	0.638