

# NACHI E5020NRNT cylindrical roller bearings

NACHI E5020NRNT cylindrical roller bearings Product Brochures , Manufacturing Service 0.0 Inventory . Get N/A Minimum Buy Quantity Your Free.

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0.259
EAN	7316576620522
Product Group	B00152
Mounting Method	Shaft
Enclosure	Open
Rolling Element	Ball Bearing
Cage Material	Polyamide
Precision Class	ABEC 1   ISO P0
Internal Clearance	C0-Medium
Number of Rows of Balls	Double Row
Other Features	Allowable Misalignment 2.5 Deg   High Capacity Design
Long Description	30MM Bore; Shaft Mount; 62MM Outside Diameter; 20MM Inner Race Width; 20MM Outer Race Width; Open; P
Inch – Metric	Metric
UNSPSC	31171532
Harmonized Tariff Code	8482.10.50.68

Noun	Bearing
Keyword String	Self Aligning
Manufacturer Item Number	2206 ETN9
Weight / LBS	0.573
Outer Race Width	0.787 Inch   20 Millimeter
D	62 mm
Inner Race Width	0.787 Inch   20 Millimeter
d	30 mm
bore diameter:	30 mm
precision rating:	Not Rated
outside diameter:	62 mm
maximum rpm:	15000 RPM
overall width:	20 mm
cage material:	Fiberglass Reinforced Nylon
bore type:	Straight
finish/coating:	Uncoated
closure type:	Open
maximum misalignment:	2.5 °
internal clearance:	C0
outer ring width:	20 mm
dynamic load capacity:	23.8 kN
fillet radius:	1 mm
static load capacity:	6.7 kN
series:	2200
B	20 mm
d1 ≈	38.79 mm
D1 ≈	54 mm
r1,2 min.	1 mm

da min.	35.6 mm
Da max.	56.4 mm
ra max.	1 mm
Basic dynamic load rating C	23.8 kN
Basic static load rating C0	6.7 kN
Fatigue load limit Pu	0.35 kN
Reference speed	22000 r/min
Limiting speed	15000 r/min
Permissible angular misalignment $\alpha$	2.5 °
Calculation factor kr	0.045
Calculation factor e	0.33
Calculation factor Y0	2
Calculation factor Y1	1.9
Calculation factor Y2	3
Mass bearing	0.26 kg