

# NACHI NF 244 cylindrical roller bearings

Request TIMKEN Manufacturer Name A Quote For Your Special NACHI NF 244 cylindrical roller bearings Needs Today! Free Quotes. ISO 9001 certified. 0.0 Inventory N/A Minimum Buy Quantity

Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	224.555
EAN	0087796225756
Product Group	B04311
Internal Clearance	C2-Snug
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Tapered
Cage Material	Bronze
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	AH3176 A0H3176 (Specify bore)
Inch – Metric	Metric
Long Description	380MM Tapered Bore; 620MM Outside Diameter; 194MM Width; C2-Snug Clearance; Adapter Mount; Double Ro

Other Features	Order adapter or withdrawal sleeve or nut separately. Others may be available
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Manufacturer Item Number	23176 KYMBW25W507C08C2
Weight / LBS	505
Adapter Part Number	SNP3176 (Specify bore) Inch   H3176 (Specify bore) Millimeter
B	7.638 Inch   194 Millimeter
D	24.409 Inch   620 Millimeter
d	14.961 Inch   380 Millimeter
Design Unit	METRIC
Bore Taper	1/12
Bearing Weight	232.600 Kg
Cage Type	YMB
UPC Code	087796225756
d – Bore	380.000 mm
D – Outer Diameter	620.000 mm
B – Inner Ring Width	194 mm
B – Outer Ring Width	194.000 mm
R – Inner Ring To Clear Radius1	4.000 mm
r – Outer Ring To Clear Radius2	4.000 mm
da – Inner Ring Backing Diameter	431.000 mm

Da – Outer Ring Backing Diameter	566.000 mm
C0 – Static Radial Rating	7580000 N
C1(2) – Dynamic Radial Rating (Two-Rows)	4490000 N
e – ISO Factor <sup>3</sup>	0.3
Y0 – ISO Factor <sup>4</sup>	2.28
Y1 – ISO Factor <sup>5</sup>	3.39
Y2 – ISO Factor <sup>6</sup>	2.23
Reference Thermal Speed Rating (Grease)	510
Reference Thermal Speed Rating (Oil) <sup>7</sup>	560
Cg – Geometry Factor <sup>8</sup>	0.0895