

# NACHI NJ 240 E cylindrical roller bearings

NACHI NJ 240 E cylindrical roller bearings Deal is your 35x55x10 Size (mm) source for OEM and accessories. We sell Genuine at discount prices. 35 Bore Diameter (mm)

Size (mm)	35x55x10
Bore Diameter (mm)	35
Outer Diameter (mm)	55
Width (mm)	10
d	35 mm
D	55 mm
B	10 mm
C	10 mm
r min.	0,6 mm
da min.	39 mm
da max	39 mm
Da max.	51 mm
ra max.	0,6 mm
Weight	0,075 Kg
Basic dynamic load rating (C)	10,6 kN
Basic static load rating (C0)	7,25 kN
(Grease) Lubrication Speed	12 000 r/min
(Oil) Lubrication Speed	15 000 r/min
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	0.075

EAN	0029176066702
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	35MM Bore; 55MM Outside Diameter; 10MM Outer Race Width; Open; Ball Bearing; ABEC 1   ISO P0; No Fil
Other Features	Deep Groove
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Weight / LBS	0.1654
Bore	1.378 Inch   35 Millimeter
Inner Race Width	0 Inch   0 Millimeter
Outside Diameter	2.165 Inch   55 Millimeter
Outer Race Width	0.394 Inch   10 Millimeter
SRI	3.1
hidYobi	6907
LangID	1
D_	55
SREX	0.015

B_	10
da min	39
hidTable	ecat_NSRDGB
Oil rpm	15000
SRE	3.1
mass	0.075
GRS rpm	12000
ra	0.6
SRIX	0.015
D_a	51
SRIN	-0.015
C0	7.25
fo	15.5
SREN	-0.015
DE_	50.5
Prod_Type3	DGBB_SR_OT
DA_	6
bomp	0
Z_	13
yobi	6907
C_conv	10600
ALPHA_	0
SDM_	44.5
r	0.6
KBRG	6101
SBRG	19
DI_	38.5