

NACHI RC4938 cylindrical roller bearings

Enjoy High Margins on 90x140x39 Size (mm) Competitive 90 Bore Diameter (mm) Pricing.Great Wholesale Products at Low Costs.

Size (mm)	90x140x39
Bore Diameter (mm)	90
Outer Diameter (mm)	140
Width (mm)	39
d	90 mm
D	140 mm
T	39 mm
B	39 mm
C	32,5 mm
a	27,9 mm
r min.	2 mm
r1 min.	1,5 mm
da min.	102 mm
Da min	129 mm
Da max.	131 mm
db max.	99 mm
Db min.	135 mm
ra max.	2 mm
rb max.	1,5 mm
Weight	2,21 Kg
Basic dynamic load rating (C)	220 kN
Basic static load rating (C0)	360 kN
(Grease) Lubrication Speed	2400 r/min

(Oil) Lubrication Speed	3200 r/min
Calculation factor (e)	0,27
Calculation factor (Y0)	1,2
LangID	1
outer r	1.5
D_	140
TC-BET22	0
TC-BET21	2
TC-BET23	0
inner r	2
mass	2.21
GRS rpm	2400
D_b	135
Cr	22400
TC-RA	378
DE_	128.191
T-ALP23	0
db	99
T-ALP22	20
Prod_Type3	TRBSR_MD_A
da	102
T-ALP21	20
Iso	2CE
ALPHA_	10.167
SDM_	115.674
SBRG	30
D_a2	129
hidYobi	HR33018J
Y1	2.2

D_a1	131
B_	39
hidTable	ecat_NSTPRM
Oil rpm	3200
C0r	37000
Y0	1.2
TC-SLR	29.5
inner ra	2
outer rb	1.5
C0	360
Sa	7
Sb	6.5
e	0.27
DA_	12.68
Z_	26
C_	32.5
yobi	HR33018J
TC-DA1	13.194
TC-DA2	12.166
KBRG	3111
DI_	103.157