

NBS NK 75/25 needle roller bearings

How do you find the NBS NK 75/25 needle roller bearings 55x120x29 Size (mm) 120 Outer Diameter (mm) specification? Manufacturers 55 Bore Diameter (mm) Online Free check

Size (mm)	55x120x29
Bore Diameter (mm)	55
Outer Diameter (mm)	120
Width (mm)	29
d	55 mm
D	120 mm
B	29 mm
C	29 mm
d1	75,3 mm
r1 min.	2 mm
r2 min.	2 mm
D2	104 mm
da min.	66 mm
Da max.	109 mm
ra max.	2 mm
Weight	1,2 Kg
Basic dynamic load rating (C)	74,1 kN
Basic static load rating (C0)	45 kN
Fatigue load limit (Pu)	1,9
Reference speed	17000 r/min

Limiting speed	3800 r/min
Calculation factor (f0)	13
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	1.246
EAN	7316572417898
Product Group	B04270
Enclosure	2 Seals
Precision Class	ABEC 1 ISO P0
Material – Ball	Ceramic
Number of Bearings	1 (Single)
Contact Angle	0 Degree
Preload	None
Raceway Style	Not Applicable
Cage Material	Steel
Rolling Element	Ball Bearing
Enclosure Type	Contact Seal
Flush Ground	No
Inch – Metric	Metric
Other Features	Single Row Deep Groove Corrosion Resistant Ball Grease with Polyurea Thickener C3 Clearance
Long Description	55MM Bore; 120MM Outside Diameter; 29MM Width; 2 Seals Enclosure; ABEC 1 ISO P0 Precision; Ceramic
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68

Noun	Bearing
Keyword String	Deep Groove Ball
Manufacturer Item Number	6311-2RS1/HC5C3WT
Weight / LBS	2.747
Width	1.142 Inch 29 Millimeter
Outside Diameter	4.724 Inch 120 Millimeter
Bore	2.165 Inch 55 Millimeter
d1 ≈	75.34 mm
D2 ≈	104 mm
r1,2 min.	2 mm
Basic dynamic load rating C	74.1 kN
Basic static load rating C0	45 kN
Fatigue load limit Pu	1.9 kN
Calculation factor kr	0.025
Calculation factor f0	13.1
Mass bearing	1.41 kg