

# NBS NX 15 complex bearings

NBS NX 15 complex bearings Industries and Applications ? We sell discount online as 142.875×200.025×41.275 Size (mm) well as cheap machinery parts.

Size (mm)	142.875×200.025×41.275
Bore Diameter (mm)	142,875
Outer Diameter (mm)	200,025
Width (mm)	41,275
d	142,875 mm
D	200,025 mm
T	41,275 mm
B	39,688 mm
C	34,13 mm
ra1 max.	3,3 mm
a	37,6 mm
r min.	3,5 mm
r1 min.	3,3 mm
Da	185 mm
db	151 mm
ra max.	3,5 mm
da	158 mm
Db	193 mm
Weight	3,82 Kg
Basic dynamic load rating (C)	227 kN
Basic static load rating (C0)	460 kN
(Grease) Lubrication Speed	1600 r/min
(Oil) Lubrication Speed	2200 r/min

Calculation factor (e)	0,34
Calculation factor (Y0)	0,98
LangID	1
ALP23	0
outer r	3.3
ALP22	20
D_	200.025
ALP21	25
SHOG_yobi	48685/48620
RAr	436.962
inner r	3.5
GRS rpm	1600
D_b	193
D_a	185
DE_	185.161
SLR	30
Prod_Type3	TRBSR_ID_A
BETA_	0
ALPHA_	12.667
SDM_	173.66
DA1	12.075
DA2	11.247
hidYobi	48685/48620
Y1	1.8
B_	39.688
Oil rpm	2200
hidTable	ecat_NSTPRI
Y0	0.98
inner ra	3.5

outer rb	3.3
C0	460
CUP	1.19
e	0.34
DA_	11.661
BET21	1
BET22	35
BET23	0
Z_	34
C_	34.13
yobi	48685/48620
KBRG	3161
CONE	2.63
DI_	162.134