

NKE 23088-K-MB-W33+0H3088-H spherical roller bearings

NKE 23088-K-MB-W33+0H3088-H spherical roller bearings Deal is your source for 60 Bore Diameter (mm) OEM 60x95x18 Size (mm) and accessories. We sell Genuine at discount 95 Outer Diameter (mm) prices.

Size (mm)	60x95x18
Bore Diameter (mm)	60
Outer Diameter (mm)	95
Width (mm)	18
d	60 mm
D	95 mm
B	18 mm
C	18 mm
r min.	1,1 mm
da min.	66,5 mm
da max	69 mm
Da max.	88,5 mm
ra max.	1 mm
Weight	0,412 Kg
Basic dynamic load rating (C)	29,5 kN
Basic static load rating (C0)	23,2 kN
(Grease) Lubrication Speed	7 100 r/min
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	0.41

EAN	0029176013157
Product Group	B00308
Enclosure	2 Metal Shields
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	60MM Bore; 95MM Outside Diameter; 18MM Outer Race Diameter; 2 Metal Shields; Ball Bearing; ABEC 1
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer Item Number	6012ZZ
Weight / LBS	0.415
Outer Race Width	0.709 Inch 18 Millimeter
Bore	2.362 Inch 60 Millimeter
Outside Diameter	3.74 Inch 95 Millimeter
SRI	5.34
hidYobi	6012ZZ
LangID	1
D_	95
SREX	0.025
B_	18

da min	66.5
hidTable	ecat_NSRDGB
SRE	5.34
mass	0.412
GRS rpm	7100
ra	1
SRIX	0.025
D_a	88.5
SRIN	-0.025
C0	23.2
fo	15.6
SREN	-0.025
DE_	87.819
Prod_Type3	DGBB_SR_ZZ
DA_	10.319
bomp	0
Z_	14
yobi	6012ZZ
C_conv	29500
ALPHA_	0
SDM_	77.5
r	1.1
KBRG	6141
SBRG	10
DI_	67.181