

# NKE 23228-K-MB-W33 spherical roller bearings

With over 10170 full-service stores, our NKE 23228-K-MB-W33 spherical roller bearings inventory is extensive and our parts are priced right. within 24 hours. This helps you maximize your productivity 0.0 Inventory by saving time and your hard-earned TIMKEN Manufacturer Name dollars.

|                      |                                                                                                      |
|----------------------|------------------------------------------------------------------------------------------------------|
| Inventory            | 0.0                                                                                                  |
| Manufacturer Name    | TIMKEN                                                                                               |
| Minimum Buy Quantity | N/A                                                                                                  |
| Weight               | 1.833                                                                                                |
| Product Group        | B04270                                                                                               |
| Enclosure            | 2 Seals                                                                                              |
| Precision Class      | ABEC 7   ISO P4                                                                                      |
| Material – Ball      | Ceramic                                                                                              |
| Number of Bearings   | 2 (1 Pair)                                                                                           |
| Contact Angle        | 15 Degree                                                                                            |
| Preload              | Light                                                                                                |
| Raceway Style        | 1 Rib Inner Ring and Outer Ring                                                                      |
| Cage Material        | Phenolic                                                                                             |
| Rolling Element      | Ball Bearing                                                                                         |
| Enclosure Type       | Non Contact Seal                                                                                     |
| Mounting Arrangement | Duplex-Universal                                                                                     |
| Flush Ground         | Yes                                                                                                  |
| Inch – Metric        | Metric                                                                                               |
| Other Features       | Single Row   Angular Contact   Super High Precision   Hybrid   Corrosion Resistant Ball   High Speed |

|                          |                                                                                                            |
|--------------------------|------------------------------------------------------------------------------------------------------------|
| Long Description         | 85MM Bore; 130MM Outside Diameter;<br>44MM Width; 2 Seals Enclosure; ABEC 7<br>  ISO P4 Precision; Ceramic |
| UNSPSC                   | 31171531                                                                                                   |
| Harmonized Tariff Code   | 8482.10.50.28                                                                                              |
| Noun                     | Bearing                                                                                                    |
| Keyword String           | Angular Contact Ball                                                                                       |
| Manufacturer Item Number | 2MMVC9117HXVVDULFS934                                                                                      |
| Weight / LBS             | 4.04                                                                                                       |
| d                        | 3.346 Inch   85 Millimeter                                                                                 |
| B                        | 1.732 Inch   44 Millimeter                                                                                 |
| D                        | 5.118 Inch   130 Millimeter                                                                                |