

NKE 24052-K30-MB-W33 spherical roller bearings

NKE 24052-K30-MB-W33 spherical roller bearings Manufacturers , Online Wholesale Suppliers ☐ 50x82x21.5 Size (mm) !

Size (mm)	50x82x21.5
Bore Diameter (mm)	50
Outer Diameter (mm)	82
Width (mm)	21,5
d	50 mm
D	82 mm
T	21,5 mm
B	21,5 mm
C	17 mm
ra1 max.	0,5 mm
a	16,1 mm
r min.	3 mm
r1 min.	0,5 mm
Da	76 mm
db	55 mm
ra max.	3 mm
da	60 mm
Db	78 mm
Weight	0,435 Kg
Basic dynamic load rating (C)	71 kN
Basic static load rating (C0)	96 kN
(Grease) Lubrication Speed	4300 r/min
(Oil) Lubrication Speed	5600 r/min

Calculation factor (e)	0,31
Calculation factor (Y0)	1,1
LangID	1
ALP23	0
outer r	0.5
ALP22	0
D_	82
ALP21	23
SHOG_yobi	JLM104948R/910R
RAr	193.8
inner r	3
GRS rpm	4300
D_b	78
D_a	76
DE_	74.055
SLR	16
Prod_Type3	TRBSR_ID_A
BETA_	1
ALPHA_	11.5
SDM_	66.124
DA1	8.455
DA2	7.759
hidYobi	JLM104948/JLM104910
Y1	2
B_	21.5
Oil rpm	5600
hidTable	ecat_NSTPRI
Y0	1.1
inner ra	3

outer rb	0.5
C0	96
CUP	0.129
e	0.31
DA_	8.108
BET21	2
BET22	30
BET23	0
Z_	21
C_	17
yobi	JLM104948/JLM104910
KBRG	3141
CONE	0.306
DI_	58.103