

NKE NJ2211-E-TVP3+HJ2211-E cylindrical roller bearings

What are the N/A Minimum Buy Quantity dimensions of a NKE NJ2211-E-TVP3+HJ2211-E cylindrical roller bearings? 0.0 Inventory Manufacturing Service . Get Your Free, NSK Manufacturer Name Instant Quote

Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight	35
Product Group	B04311
Internal Clearance	C4-Extra Loose
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Tapered
Cage Material	Bronze
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	AH2238 (Specify bore)
Inch – Metric	Metric
Long Description	190MM Tapered Bore; 340MM Outside Diameter; 92MM Width; C4-Extra Loose Clearance; Adapter Mount; Dou
Other Features	Order adapter or withdrawal sleeve or nut separately. Others may be available

UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Manufacturer Item Number	22238CAMKE4C4
Weight / LBS	35
d	7.48 Inch 190 Millimeter
Adapter Part Number	SNW3138 H3138 HA3138 HS3138 (Specify bore) Inch H3138 (Specify bore) Millimeter
B	3.622 Inch 92 Millimeter
D	13.386 Inch 340 Millimeter
bore diameter:	190 mm
maximum rpm:	1200 RPM
outside diameter:	340 mm
operating temperature range:	Maximum of +200 °C
overall width:	92 mm
cage material:	Brass
bore type:	Tapered 1:12
bearing material:	Steel
outer ring type:	Not Split
cage type:	Inner Ring Guided
internal clearance:	C4
precision rating:	RBEC 1 (ISO Class Normal)
closure type:	Open
finish/coating:	Uncoated
lubrication hole type:	Lubrication Groove & Hole
outer ring width:	92 mm
dynamic load capacity:	1140000 N

fillet radius:	4 mm
static load capacity:	1730000 N
series:	222