## NKE NJ2340-VH cylindrical roller bearings

What is the best place to buy NKE NJ2340-VH cylindrical roller bearings online? 0.0 Inventory Manufacturing Service .

| Inventory                 | 0.0   |
|---------------------------|---|
| Manufacturer Name         | ABB MOTORS AND MECHANICAL INC   |
| Minimum Buy Quantity      | N/A   |
| Weight                    | 5.448   |
| EAN                       | 0782475310838   |
| Product Group             | M06288  |
| Number of Mounting Holes  | 2   |
| Mounting Method           | Adapter Sleeve  |
| Housing Style             | 2 Bolt Pillow Block   |
| Rolling Element           | Spherical Roller Bearing  |
| Housing Material          | Cast Iron   |
| Expansion / Non-expansion | Non-expansion   |
| Mounting Bolts            | 1/2 Inch  |
| Relubricatable            | Yes   |
| Insert Part Number        | INS-IP-107R   |
| Seals                     | Triple Lip Contact  |
| Housing Configuration     | 2 Piece Split   |
| Inch — Metric             | Inch  |
| Other Features            | Double Row   Has Flinger  |
| Long Description          | 2 Bolt Pillow Block; 1-7/16"<br>Bore; 2-1/4" Base to Center<br>Height; Adapter Sleeve Mount;<br>Sph |

| UNSPSC                           | 31171511                       |
|----------------------------------|--------------------------------|
| Harmonized Tariff Code           | 8483.20.40.80                  |
| Noun                             | Bearing                        |
| Keyword String                   | Pillow Block                   |
| Manufacturer Item Number         | P2B509-ISAF-107R               |
| Manufacturer Internal Number     | 070054                         |
| Weight / LBS                     | 12                             |
| D                                | 2.625 Inch   66.675 Millimeter |
| Bolt Spacing Minimum             | 6.25 Inch   158.75Millimeter   |
| d                                | 1.438 Inch   36.525 Millimeter |
| В                                | 2.25 Inch   57.15 Millimeter   |
| Actual Bolt Center to Center     | 0 Inch   OMillimeter           |
| Bolt Spacing Maximum             | 7 Inch   177.8Millimeter       |
| Nominal Bolt Center to<br>Center | 6.6 Inch   167 Millimeter      |