## NMB RF-1960ZZ deep groove ball bearings

Advance NMB RF-1960ZZ deep groove ball bearings is your 0.0 Inventory source for quality and accessories. shop online for home delivery or pick up in N/A Minimum Buy Quantity one of our 10000 .

| Inventory                 | 0.0  |
|---------------------------|--|
| Manufacturer Name         | TIMKEN   |
| Minimum Buy Quantity      | N/A  |
| Weight                    | 19.522   |
| EAN                       | 0883450018012  |
| Product Group             | M06288   |
| Number of Mounting Holes  | 4  |
| Mounting Method           | Concentric Collar  |
| Housing Style             | 4 Bolt Round Flange Cartridge  |
| Rolling Element           | Spherical Roller Bearing   |
| Housing Material          | Cast Steel   |
| Expansion / Non-expansion | Non-expansion  |
| Mounting Bolts            | 3/4 Inch   |
| Relubricatable            | Yes  |
| Insert Part Number        | 22220  |
| Seals                     | Double Lip Viton   |
| Housing Configuration     | 1 Piece Solid  |
| Pilot Configuration       | With Pilot   |
| Inch — Metric             | Inch   |
| Long Description          | 4 Bolt Round Flange Cartridge;<br>3-15/16" Bore; 9.4" Bolt<br>Circle; 6-5/8" Bolt Spacing; |

| Other Features                        | Double Row   Double Collar  <br>With Set Screw |
|---------------------------------------|--|
| UNSPSC                                | 31171501                                       |
| Harmonized Tariff Code                | 8483.20.40.80                                  |
| Noun                                  | Bearing  |
| Keyword String                        | Flanged  |
| Weight / LBS                          | 43   |
| D                                     | 5.94 Inch   150.876 Millimeter                 |
| d                                     | 3.938 Inch   100.025<br>Millimeter             |
| Cartridge Pilot Diameter              | 8.125 Inch   206.375<br>Millimeter             |
| Cartridge Pilot Depth                 | 0 Inch   0 Millimeter                          |
| Nominal Bolt Circle Diameter<br>Round | 9.4 Inch   238 Millimeter                      |
| Bolt Spacing                          | 6.625 Inch   168.275<br>Millimeter             |