

NMB RI-21/2 deep groove ball bearings

What are the types of N/A Minimum Buy Quantity NMB RI-21/2 deep groove ball bearings 0.0 Inventory ? SKF Manufacturer Name Manufacturing Service . Get Your Free, Instant price, design review.

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	75.27
EAN	7316571871950
Product Group	B04311
Internal Clearance	C0-Medium
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Tapered
Cage Material	Steel
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Adapter Part Number – Millimeter	H3984 (Specify bore)
Withdrawal Sleeve	AH3984 (Specify bore)
Withdrawal Nut	HMLL87T
Inch – Metric	Metric
Long Description	420MM Tapered Bore; 560MM Outside Diameter; 106MM Width; C0-Medium Clearance; Adapter Mount; Double

Other Features	Order adapter or withdrawal sleeve or nut separately. Others may be available
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Weight / LBS	165.787
B	106 mm
D	560 mm
d	420 mm
bore diameter:	420 mm
maximum rpm:	1100 RPM
outside diameter:	560 mm
operating temperature range:	Maximum of +390 °F
overall width:	106 mm
cage material:	Brass
bore type:	Tapered 1:12
bearing material:	Steel
outer ring type:	Not Split
cage type:	Inner Ring Guided
internal clearance:	C0
precision rating:	Not Rated
closure type:	Open
finish/coating:	Uncoated
lubrication hole type:	Lubrication Groove & Hole
outer ring width:	106 mm
dynamic load capacity:	2040 kN
fillet radius:	3 mm

static load capacity:	4150 kN
series:	239
d2 ≈	459 mm
D1 ≈	520 mm
b	16.7 mm
K	9 mm
r1,2 min.	4 mm
Da max.	545 mm
ra max.	3 mm
Basic dynamic load rating C	2083 kN
Basic static load rating C0	4150 kN
Fatigue load limit Pu	300 kN
Reference speed	1000 r/min
Limiting speed	1100 r/min
Calculation factor e	0.16
Calculation factor Y1	4.2
Calculation factor Y2	6.3
Calculation factor Y0	4
Mass bearing	72 kg