

# NSK 155RNP2401 cylindrical roller bearings

NSK 155RNP2401 cylindrical roller bearings Deal 130 Outer Diameter (mm) is your source 230 Bore Diameter (mm) for OEM 230x130x67.75 Size (mm) and accessories. We sell Genuine at discount prices.

Size (mm)	230x130x67.75
Bore Diameter (mm)	230
Outer Diameter (mm)	130
Width (mm)	67,75
d	130 mm
D	230 mm
T	67.75 mm
d1	176 mm
B	64 mm
C	54 mm
r1,2 – min.	4 mm
r3,4 – min.	3 mm
a	56 mm
da – max.	146 mm
db – min.	146.5 mm
Da – min.	193 mm
Da – max.	216.5 mm
Db – min.	219 mm
Ca – min.	7 mm
Cb – min.	13.5 mm
ra – max.	4 mm

rb – max.	3 mm
Basic dynamic load rating – C	550 kN
Basic static load rating – C0	830 kN
Fatigue load limit – Pu	85 kN
Reference speed	2000 r/min
Limiting speed	2800 r/min
Calculation factor – e	0.43
Calculation factor – Y	1.4
Calculation factor – Y0	0.8
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	11.36
EAN	7316577005977
Product Group	B04334
bore diameter:	130 mm
operating temperature range:	Maximum of +250 °F
cup width:	54 mm
dynamic load capacity:	550 kN
assembly type:	Cone & Cup
static load capacity:	830 kN
outside diameter:	230 mm
finish/coating:	Uncoated
cone width:	64 mm
maximum rpm:	2800 RPM
closure type:	Open
series:	322
abma precision rating:	Class 3
flange type:	Non-Flanged Cup

cage material:	Steel
----------------	-------