

# NSK 23238CKE4 spherical roller bearings

How do 300x380x38 Size (mm) I place an 300 Bore Diameter (mm) EMERGENCY 380 Outer Diameter (mm) order for a NSK 23238CKE4 spherical roller bearings that I want to pick up at a our store?

Size (mm)	300x380x38
Bore Diameter (mm)	300
Outer Diameter (mm)	380
Width (mm)	38
d	300 mm
D	380 mm
B	38 mm
C	38 mm
r min.	2,1 mm
Da max.	369 mm
db min	311 mm
ra max.	2 mm
Weight	10,5 Kg
Basic dynamic load rating (C)	162 kN
Basic static load rating (C0)	210 kN
(Grease) Lubrication Speed	1 500 r/min
(Oil) Lubrication Speed	1 700 r/min
rs min	2.1 mm
Radial clearance class	CN
Mass	10.5 kg
Dynamic load, C	162 kN

Static load, C0	210 kN
Fatigue limit load, Cu	5.2 kN
f0	16.1
Nlim (oil)	1,700 rpm
Nlim (grease)	1,500 rpm
Min operating temperature, Tmin	-40 °C
Max operating temperature, Tmax	120 °C
Characteristic cage frequency, FTF	0.46 Hz
Characteristic rolling element frequency, BSF	14.21 Hz
Characteristic outer ring frequency, BPF0	10.7 Hz
Characteristic inner ring frequency, BRFI	12.3 Hz
da min	311 mm
Da max	369 mm
ra max	2 mm
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	10.14
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium

Inch – Metric	Metric
Long Description	300MM Bore; 380MM Outside Diameter; 38MM Outer Race Width; Open; Ball Bearing; ABEC 1   ISO P0; No F
Other Features	Deep Groove
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Weight / LBS	22.355
Outside Diameter	14.961 Inch   380 Millimeter
Inner Race Width	0 Inch   0 Millimeter
Outer Race Width	1.496 Inch   38 Millimeter
Bore	11.811 Inch   300 Millimeter