

# NSK 7930CTRSU angular contact ball bearings

What are the dimensions of a NSK 7930CTRSU angular contact ball bearings? Manufacturing Service 125,000 Outer Diameter (mm) . Get Your Free, Instant 70x125x85.7 Size (mm) Quote 70,000 Bore Diameter (mm)

Size (mm)	70x125x85.7
Bore Diameter (mm)	70,000
Outer Diameter (mm)	125,000
Width (mm)	85,7
d	70,000 mm
D	125,000 mm
B	85,7 mm
B1	68,3 mm
C	33 mm
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	2.834
EAN	4547359237603
Product Group	M06110
Inner Race Profile	Wide Inner Ring
Outer Race Profile	Spherical
Relubricatable	Yes
Seal Type	Single Lip Land Riding
Mounting Method	Eccentric Collar
Rolling Element	Ball Bearing

Snap Ring	No
Long Description	70MM Bore; Wide Inner Ring; Ball Bearing; 85.7MM Length Thru Bore; 33MM Outer Race Width; 125MM Outs
Inch – Metric	Metric
Other Features	Single Row   Light Duty   Steel Cage   With Set Screw   Has Flinger   Metric
UNSPSC	31171536
Harmonized Tariff Code	8482.10.50.00
Noun	Bearing
Keyword String	Insert
Manufacturer Item Number	UEL214D1
Weight / LBS	5.445
Outside Diameter	4.921 Inch   125 Millimeter
Bore	2.756 Inch   70 Millimeter
Outer Race Width	1.299 Inch   33 Millimeter
Length Thru Bore	3.374 Inch   85.7 Millimeter
bore diameter:	70 mm
fillet radius:	2 mm
outside diameter:	125 mm
radial dynamic load capacity:	62000 N
outer ring width:	33 mm
radial static load capacity:	44000 N
inner ring width:	68.3 mm
bearing material:	Through Hardened Steel
bore type:	Round
finish/coating:	Uncoated
locking device:	Eccentric Collar

seal type:	Contact
duty type:	Standard Duty
series:	UEL2
overall width:	85.70 mm
manufacturer product page:	<a href="#">Click here</a>
operating temperature range:	-40 to 120 °C