

# NSK F-4016 needle roller bearings

170 Million used NSK F-4016 needle roller bearings instantly searchable. Shop our large selection 60 Bore Diameter (mm) of parts 60×104.775×21.433 Size (mm) based on brand, price, description, and location. Order the with stock ...

Size (mm)	60×104.775×21.433
Bore Diameter (mm)	60
Outer Diameter (mm)	104,775
Width (mm)	21,433
d	60 mm
D	104,775 mm
T	21,433 mm
B	22 mm
C	15,875 mm
ra1 max.	2 mm
a	20 mm
r min.	2,3 mm
r1 min.	2 mm
Da	96 mm
db	67 mm
ra max.	2,3 mm
da	71 mm
Db	100 mm
Weight	0,745 Kg
Basic dynamic load rating (C)	83,5 kN
Basic static load rating (C0)	107 kN

(Grease) Lubrication Speed	3400 r/min
(Oil) Lubrication Speed	4500 r/min
Calculation factor (e)	0,39
Calculation factor (Y0)	0,85
LangID	1
ALP23	0
outer r	2
ALP22	0
D_	104.775
ALP21	29
SHOG_yobi	39236R/39412R
RAr	196.722
inner r	2.3
GRS rpm	3400
D_b	100
D_a	96
DE_	95.066
SLR	14.2
Prod_Type3	TRBSR_ID_A
BETA_	1
ALPHA_	14.5
SDM_	84.774
DA1	10.871
DA2	10.09
hidYobi	39236/39412
Y1	1.5
B_	22
Oil rpm	4500
hidTable	ecat_NSTPRI

Y0	0.85
inner ra	2.3
outer rb	2
C0	107
CUP	0.186
e	0.39
DA_	10.483
BET21	3
BET22	10
BET23	0
Z_	21
C_	15.875
yobi	39236/39412
KBRG	3171
CONE	0.559
DI_	74.467