

NSK FJ-2820 needle roller bearings

How do I place an EMERGENCY order for a NSK FJ-2820 needle roller bearings that 30x62x23.8 Size (mm) 62 Outer Diameter (mm) I want to 30 Bore Diameter (mm) pick up at a our store?

Size (mm)	30x62x23.8
Bore Diameter (mm)	30
Outer Diameter (mm)	62
Width (mm)	23.8
d	30 mm
D	62 mm
B	23.8 mm
C	23.8 mm
r min.	1 mm
Weight	0.290 Kg
Basic dynamic load rating (C)	25,9 kN
Basic static load rating (C0)	18,7 kN
Inventory	5.0
Manufacturer Name	NACHI
Minimum Buy Quantity	N/A
Weight / Kilogram	0.291
EAN	4991893600599
Product Group	B00152
Enclosure	2 Metal Shields
Flush Ground	No
Rolling Element	Ball Bearing
Number of Rows of Balls	Double Row

Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Steel
Contact Angle	20 Degree
Internal Clearance	C0-Medium
Number of Bearings	1 (Single)
Inch – Metric	Metric
Long Description	30MM Bore; 62MM Outside Diameter; 23.8MM Width; 2 Metal Shields; No Flush Ground; Ball Bearing; Doub
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer Item Number	5206 ZZ BV2S
Weight / LBS	0.64
Bore	1.181 Inch 30 Millimeter
Outside Diameter	2.441 Inch 62 Millimeter
Width	0.937 Inch 23.8 Millimeter
Configuration	Double Row
Bore Type	Cylindrical Bore
Bore Size	30 mm
Fillet Radius/Chamfer	1 mm
Dynamic Load Rating	25,900 N
Static Load Rating	18,700 N
Limiting Speed – Oil	8,000 rpm
Radial Clearance	0.005 to 0.020 mm
da	36 mm

Da	56 mm
ra	1 mm