

NSK HR105KBE42X+L tapered roller bearings

What is NSK HR105KBE42X+L tapered roller bearings in mechanical engineering? Manufacturing Service 0.0 Inventory . Upload your SKF Manufacturer Name CAD file for an instant.

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	105.29
EAN	7316570017892
Product Group	B04311
Internal Clearance	C0-Medium
Mounting Method	Shaft Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Straight
Cage Material	Bronze
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	Not Applicable
Withdrawal Nut	Not Applicable
Inch – Metric	Metric
Long Description	260MM Straight Bore; 440MM Outside Diameter; 144MM Width; C0-Medium Clearance; Shaft Mount; Double R
UNSPSC	31171510
Harmonized Tariff Code	84823080

Noun	Bearing
Keyword String	Spherical
Weight / LBS	231.926
D	17.323 Inch 440 Millimeter
B	5.669 Inch 144 Millimeter
Adapter Part Number	Not Applicable Inch Not Applicable Millimeter
d	10.236 Inch 260 Millimeter
bore diameter:	260 mm
maximum rpm:	1400 RPM
outside diameter:	440 mm
operating temperature range:	Maximum of +390 °F
overall width:	144 mm
cage material:	Brass
bore type:	Straight
bearing material:	Steel
outer ring type:	Not Split
cage type:	Inner Ring Guided
internal clearance:	C1
precision rating:	Not Rated
closure type:	Open
finish/coating:	Uncoated
lubrication hole type:	Lubrication Groove & Hole
outer ring width:	144 mm
dynamic load capacity:	2550 kN
fillet radius:	3 mm
static load capacity:	3900 kN
series:	231