

NSK HR200KBE52+L tapered roller bearings

offers a NSK HR200KBE52+L tapered roller bearings selection of Genuine 65x120x31 Size (mm) at Wholesale Prices. We are a NSK HR200KBE52+L tapered roller bearings Certified Parts Retailer

Size (mm)	65x120x31
Bore Diameter (mm)	65
Outer Diameter (mm)	120
Width (mm)	31
d	65 mm
D	120 mm
B	31 mm
C	31 mm
r min.	1,5 mm
da min.	73 mm
Da max.	112 mm
ra max.	1,5 mm
Weight	1,4 Kg
Basic dynamic load rating (C)	43,5 kN
Basic static load rating (C0)	16,4 kN
(Grease) Lubrication Speed	4 800 r/min
(Oil) Lubrication Speed	6 000 r/min
Calculation factor (e)	0,28
Calculation factor (Y0)	2,4
Calculation factor (Y2)	3,5
Inventory	0.0
Manufacturer Name	NSK

Minimum Buy Quantity	N/A
Weight / Kilogram	1.3
EAN	0029176687051
Product Group	B00152
Mounting Method	Shaft
Enclosure	Open
Rolling Element	Ball Bearing
Cage Material	Steel
Precision Class	ABEC 1 ISO P0
Internal Clearance	C0-Medium
Number of Rows of Balls	Double Row
Other Features	Allowable Misalignment 2.5 Deg
Long Description	65MM Bore; Shaft Mount; 120MM Outside Diameter; 31MM Inner Race Width; 31MM Outer Race Width; Open;
Inch – Metric	Metric
UNSPSC	31171532
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Self Aligning
Weight / LBS	3.35
Bore	2.559 Inch 65 Millimeter
Inner Race Width	1.22 Inch 31 Millimeter
Outside Diameter	4.724 Inch 120 Millimeter
Outer Race Width	1.22 Inch 31 Millimeter
SRI	7.08
Y3	2.3
hidYobi	2213
LangID	1

PCD	92.5
D_	120
Y2	3.5
SREX	0
cyl count	18
B_	31
hidTable	ecat_NSSAB
Oil rpm	6000
SRE	0
Y0	2.4
mass	1.4
ra	1.5
GRS rpm	4800
SRIX	0.05
groove inner	78.994
D_a	112
SRIN	0
C0	16.4
groove outer	107.58
SREN	0
X0	1
Prod_Type3	SABB_SA_CB
X1	1
da	73
X2	0.65
e	0.28
yobi	2213
r	1.5
KBRG	1354

CAn _g	10.534
cyl dia	13.494