

# NSK LM4525 needle roller bearings

170 Million used NSK LM4525 needle roller bearings instantly searchable. Shop our large selection of parts based on brand, price, description, 0.0 Inventory and location. Order the TIMKEN Manufacturer Name with stock ...

Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	291 lb
EAN	0013992054104
Product Group	B04144
Number of Mounting Holes	4
Mounting Method	Clamp Collar
Housing Style	4 Bolt Pillow Block
Rolling Element	Cylindrical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Expansion
Mounting Bolts	24 Millimeter
Relubricatable	Yes
Insert Part Number	LSM180BX
Seals	Triple Lip Labyrinth
Housing Configuration	2 Piece Split
Inch – Metric	Metric
Other Features	Single Row   Light Duty   With Support   Wide Inner Ring
UNSPSC	31171511

Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Pillow Block
Weight / LBS	250.23
Nominal Bolt Center to Center	15.3 Inch   388 Millimeter
D	4.291 Inch   109 Millimeter
d	7.087 Inch   180 Millimeter
Bolt Spacing Maximum	0 Inch   0Millimeter
B	9.252 Inch   235 Millimeter
Bolt Spacing Minimum	0 Inch   0Millimeter
Actual Bolt Center to Center	15.3 Inch   388Millimeter
Shaft Size	180 mm
Seal Type	Aluminium Triple Labyrinth
Bearing Type	Split Cylindrical Expansion Type
Support Type	Four-Bolt Plummer Block
Series Type	Light Series
Pillow/Plummer Block Style	Split Cylindrical Housed Unit – Standard
Bolt Size	4 x M24
Dimension H	9.252 in
Dimension H1	1.4 in
Dimension H2	18.5 in
Dimension J	15.3 in
Dimension K	5.0 in
Dimension L	21.0 in
Dimension M	7.5 in
Housing Width	7.9 in
Cr – Dynamic Load Rating	117800 lbf

Cor – Static Load Rating	186142 lbf
Maximum Speed	1220 rpm
Note	This product line was formerly known as “Revolvo”