

NSK NN3022MB cylindrical roller bearings

LET OUR 120x165x29 Size (mm) NSK NN3022MB cylindrical roller bearings EXPERTS GET YOU THE PARTS YOU NEED.

| | |
|---------------------|------------|
| Size (mm) | 120x165x29 |
| Bore Diameter (mm) | 120 |
| Outer Diameter (mm) | 165 |
| Width (mm) | 29 |
| d | 120 mm |
| D | 165 mm |
| T | 29 mm |
| B | 29 mm |
| C | 23 mm |
| a | 29,4 mm |
| r min. | 1,5 mm |
| r1 min. | 1,5 mm |
| r2 min. | 1,5 mm |
| da min. | 129 mm |
| da max | 128 mm |
| Da min | 152 mm |
| Da max. | 156 mm |
| db max. | 128 mm |
| Db min. | 160 mm |
| ra max. | 1,5 mm |
| rb max. | 1,5 mm |
| Db | 160 mm |
| Weight | 1,77 Kg |

| | |
|-------------------------------|---------------|
| Basic dynamic load rating (C) | 172 kN |
| Basic static load rating (C0) | 298 kN |
| (Grease) Lubrication Speed | 2100 r/min |
| (Oil) Lubrication Speed | 2700 r/min |
| Calculation factor (e) | 0,35 |
| Calculation factor (Y0) | 0,95 |
| Inventory | 0.0 |
| Manufacturer Name | KOYO |
| Minimum Buy Quantity | N/A |
| EAN | 0605790369933 |
| Weight / US pound | 3.9 |
| Product Group | B04334 |
| Bearing No. | 32924JR |
| r(min) | 1.5 |
| r1(min) | 1.5 |
| Cr | 215 |
| C0r | 298 |
| Cu | 42.5 |
| Grease lub. | 2100 |
| Oil lub. | 2700 |
| a(mm) | 29.4 |
| da(min) | 129 |
| db(max) | 128 |
| Da(max) | 156 |
| Da(min) | 152 |
| Db(min) | 160 |
| Sa(min) | 6 |
| Sb(min) | 6 |
| ra(max) | 1.5 |

| | |
|-------------------|------|
| rb(max) | 1.5 |
| e | 0.35 |
| Y1 | 1.72 |
| Y0 | 0.95 |
| (Refer.)Mass (kg) | 1.77 |