

NSK NN4920MB cylindrical roller bearings

NSK NN4920MB cylindrical roller bearings, Units and Housings CAD models , N/A Minimum Buy Quantity Manufacturing 3.0 Inventory Service . Get Your Free.

Inventory	3.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	8.47 lb
EAN	0087796061422
Product Group	M06110
Number of Mounting Holes	4
Mounting Method	Eccentric Collar
Housing Style	4 Bolt Square Flange Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	43/64 Inch
Relubricatable	Yes
Insert Part Number	G1203KPPB4
Seals	Double Triply
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch – Metric	Inch
Long Description	4 Bolt Square Flange Block; 2-3/16" Bore; 7.2" Bolt Circle; 5-1/8" Bolt Spacing; 1 Pi

Other Features	Single Row Normal Duty With Set Screw
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer Item Number	TCJ 2 3/16
Weight / LBS	8.47
Bolt Spacing	5.125 Inch 130.18 Millimeter
D	2.188 Inch 55.575 Millimeter
Cartridge Pilot Depth	0 Inch 0 Millimeter
Nominal Bolt Circle Diameter Round	7.2 Inch 184 Millimeter
d	2.188 Inch 55.575 Millimeter
Cartridge Pilot Diameter	0 Inch 0 Millimeter
Shaft Size d	2 3/16 in
Dimension D	4.748 in
Dimension E	2.957 in
Inside Ring Outside Diameter	2.980 in
Series	Industrial
Seal Type	Tri-Ply Seal
Total Length L	161.9 mm
Housing Width A	1.843 in
Bolt Hole Spacing J	130.2 mm
Bolt Hole Size N	16 mm
Flange Thickness A1	16.7 mm
Center of Bearing from Housing End A2	31.4 mm
Inside Ring Width B	=Bearings1_Inside Ring Width= mm

Bolt Size	M16
Center of Bearing from Bearing End S	31.4 mm
Static Load Rating	6570 lbf
Dynamic Load Rating	10800 lbf