

# NTN 2P20002K thrust roller bearings

Enjoy High Margins on Competitive Pricing.Great Wholesale Products 395 Series at Low Costs.

Series	395
Cone Part Number	399AN
Design Units	Imperial
Cage Type	Stamped Steel
C1 – Dynamic Radial Rating (Two-Row, 1 million revolutions) <sup>1</sup>	45900 lbf
C90(2) – Dynamic Radial Rating (Two-Row, 90 million revolutions) <sup>2</sup>	11900 lbf
d	2.6875 in
B – Cone Width	0.8660 in
R – Cone Backface To Clear Radius <sup>3</sup>	0.09 in
da – Cone Frontface Backing Diameter	2.91 in
db – Cone Backface Backing Diameter	3.07 in
Ab – Cage-Cone Frontface Clearance	0.11 in
Aa – Cage-Cone Backface Clearance	0.05 in
a – Effective Center Location <sup>4</sup>	-0.03 in
C90 – Dynamic Radial Rating (90 million revolutions) <sup>5</sup>	6830 lbf
C1 – Dynamic Radial Rating (1 million revolutions) <sup>6</sup>	26400 lbf
C0 – Static Radial Rating	28100 lbf
Ca90 – Dynamic Thrust Rating (90 million revolutions) <sup>7</sup>	4700 lbf
K – Factor <sup>8</sup>	1.45

G1 – Heat Generation Factor (Roller-Raceway)	56
G2 – Heat Generation Factor (Rib-Roller End)	21.4
Cg – Geometry Factor	0.0984