

# NTN 2P8802K thrust roller bearings

YOU'LL FIND AN EXTENSIVE SELECTION OF REGAL BELOIT  
Manufacturer Name NTN 2P8802K thrust roller bearings 0.0  
Inventory FOR SALE.

|                           |   |
|---------------------------|---|
| Inventory                 | 0.0   |
| Manufacturer Name         | REGAL BELOIT  |
| Minimum Buy Quantity      | N/A   |
| Weight                    | 1.361   |
| EAN                       | 0662798251486   |
| Product Group             | M06110  |
| Number of Mounting Holes  | 2   |
| Mounting Method           | Set Screw   |
| Housing Style             | 2 Bolt Tap Base Pillow Block  |
| Rolling Element           | Ball Bearing  |
| Housing Material          | Cast Iron   |
| Expansion / Non-expansion | Non-expansion   |
| Mounting Bolts            | 1/2 Inch  |
| Relubricatable            | Yes   |
| Insert Part Number        | B250  |
| Seals                     | Nitrile Rubber  |
| Housing Configuration     | 1 Piece Solid   |
| Inch – Metric             | Inch  |
| Other Features            | Single Row   Spherical   Wide Inner Race   Has Trash Guard                                |
| Long Description          | 2 Bolt Tap Base Pillow Block; 1-1/4" Bore; 1-7/8" Base to Center Height; Set Screw Mount; |

|                               |                               |
|-------------------------------|-------------------------------|
| UNSPSC                        | 31171511                      |
| Harmonized Tariff Code        | 8483.20.40.40                 |
| Noun                          | Bearing                       |
| Keyword String                | Pillow Block                  |
| Manufacturer Item Number      | 1001-05711                    |
| Manufacturer Internal Number  | 25148                         |
| Weight / LBS                  | 2.7                           |
| Nominal Bolt Center to Center | 3.3 Inch   84 Millimeter      |
| Actual Bolt Center to Center  | 3.3 Inch   84Millimeter       |
| d                             | 1.25 Inch   31.75 Millimeter  |
| D                             | 1.689 Inch   42.9 Millimeter  |
| B                             | 1.875 Inch   47.63 Millimeter |
| Bolt Spacing Maximum          | 0 Inch   0Millimeter          |
| Bolt Spacing Minimum          | 0 Inch   0Millimeter          |