

NTN 2RT18801 thrust roller bearings

Manufacturers of all are represented in our partial list of clients. 300 Bore Diameter (mm) Contact Gary for a complete NTN 2RT18801 thrust roller bearings list of clients 300x380x62 Size (mm) and 380 Outer Diameter (mm) projects.

Size (mm)	300x380x62
Bore Diameter (mm)	300
Outer Diameter (mm)	380
Width (mm)	62
d	300 mm
D	380 mm
T	62 mm
d1	376 mm
r min.	2 mm
D1	304 mm
da min.	348 mm
Da max.	332 mm
ra max.	2 mm
Weight	17,2 Kg
Basic dynamic load rating (C)	355 kN
Basic static load rating (C0)	1 560 kN
(Grease) Lubrication Speed	580 r/min
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	17.5

EAN	4547359306385
Product Group	B00308
Rolling Element	Ball Bearing
Thrust Bearing	Yes
Single or Double Direction	Single Direction
Banded	No
Cage Material	Steel
Precision Class	ABEC 1 ISO P0
Component Description	Roller Assembly Plus Raceways
Other Features	Single Row With Flat Seat
Long Description	300MM Bore 1; 304MM Bore 2; 380MM Outside Diameter; 62MM Height; Ball Bearing; Single Direction; Not
Inch – Metric	Metric
UNSPSC	31171552
Harmonized Tariff Code	8482.10.50.08
Noun	Bearing
Keyword String	Ball Thrust
Manufacturer Item Number	51160
Weight / LBS	37.91951
Overall Height with Aligning Washer	0 Inch 0 Millimeter
Bore 1	11.811 Inch 300 Millimeter
Height	2.441 Inch 62 Millimeter
Outside Diameter	14.961 Inch 380 Millimeter
Bore 2	11.969 Inch 304 Millimeter
bore diameter:	300 mm
dynamic load capacity:	355000 N
outside diameter:	376 mm

operating temperature range:	-40 to 120 °C
overall width:	62 mm
maximum rpm:	820 rpm
thrust bearing type:	Single-Direction
bearing material:	High Carbon Chrome Steel
outside diameter design:	Straight
cage material:	Brass
separable or banded:	Separable
fillet radius:	2 mm
precision rating:	ISO Class 0
manufacturer product page:	Click here
static load capacity:	1560000 N