

# NTN 32917X tapered roller bearings

offers a NTN 32917X tapered roller bearings selection of Genuine at 139,992 Outer Diameter (mm) Wholesale Prices. We are a NTN 32917X tapered roller bearings Certified Parts Retailer 80.962×139.992×36.512 Size (mm)

Size (mm)	80.962×139.992×36.512
Bore Diameter (mm)	80,962
Outer Diameter (mm)	139,992
Width (mm)	36,512
d	80,962 mm
D	139,992 mm
T	36,512 mm
B	36,098 mm
C	28,575 mm
ra1 max.	3,3 mm
a	31,1 mm
r min.	3,5 mm
r1 min.	3,3 mm
Da	125 mm
db	90 mm
ra max.	3,5 mm
da	96 mm
Db	133 mm
Weight	2,228 Kg
Basic dynamic load rating (C)	175 kN
Basic static load rating (C0)	260 kN

(Grease) Lubrication Speed	2600 r/min
(Oil) Lubrication Speed	3400 r/min
Calculation factor (e)	0,4
Calculation factor (Y0)	0,82
LangID	1
ALP23	0
outer r	3.3
ALP22	8
D_	139.992
ALP21	30
SHOG_yobi	581R/572R
RAr	248.844
inner r	3.5
GRS rpm	2600
D_b	133
D_a	125
DE_	122.671
SLR	25.25
Prod_Type3	TRBSR_ID_A
BETA_	1
ALPHA_	15.067
SDM_	110.155
DA1	13.751
DA2	12.361
hidYobi	581/572
Y1	1.5
B_	36.098
Oil rpm	3400
hidTable	ecat_NSTPRI

Y0	0.82
inner ra	3.5
outer rb	3.3
C0	260
CUP	0.788
e	0.4
DA_	13.059
BET21	3
BET22	10
BET23	0
Z_	22
C_	28.575
yobi	581/572
KBRG	3161
CONE	1.44
DI_	97.347