

NTN 4R6021 cylindrical roller bearings

Browse NTN 4R6021 cylindrical roller bearings Categories in the Manufacturers Online Free. including 9x26x8 Size (mm) 26 Outer Diameter (mm) .

Size (mm)	9x26x8
Bore Diameter (mm)	9
Outer Diameter (mm)	26
Width (mm)	8
d	9 mm
D	26 mm
B	8 mm
C	8 mm
r min.	0,6 mm
da min.	13 mm
da max	13,9 mm
Da max.	22 mm
ra max.	0,3 mm
Weight	20 Kg
Basic dynamic load rating (C)	4,55 kN
Basic static load rating (C0)	1,96 kN
(Grease) Lubrication Speed	30 000 r/min
(Oil) Lubrication Speed	35 000 r/min
rs min	0.6 mm
Radial clearance class	CN
Mass	0.02 kg
Dynamic load, C	4.55 kN

Static load, C0	1.96 kN
Fatigue limit load, Cu	0.09 kN
f0	12.4
Nlim (oil)	35,000 rpm
Nlim (grease)	30,000 rpm
Min operating temperature, Tmin	-20 °C
Max operating temperature, Tmax	120 °C
da min	13 mm
Da max	22 mm
ra max	0.6 mm
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	9MM Bore; 26MM Outside Diameter; 8MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No Filli
Other Features	Deep Groove
UNSPSC	31171504

Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Outer Race Width	0.315 Inch 8 Millimeter
Bore	0.354 Inch 9 Millimeter
Outside Diameter	1.024 Inch 26 Millimeter
Inner Race Width	0 Inch 0 Millimeter