

# NTN 4T-30307D tapered roller bearings

Our highly-skilled and factory-trained service experts have the resources to 65x120x23 Size (mm) 65 Bore Diameter (mm) help you with 120 Outer Diameter (mm) all your NTN 4T-30307D tapered roller bearings needs – including routine maintenance, major repairs, warranty service, and equipment inspections.

Size (mm)	65x120x23
Bore Diameter (mm)	65
Outer Diameter (mm)	120
Width (mm)	23
d	65 mm
D	120 mm
B	23 mm
C	23 mm
Angle ( $\alpha$ )	35 °
a	64,8 mm
r min.	1,5 mm
da min.	74 mm
da max	111 mm
ra max.	1,5 mm
Weight	1,2 Kg
Basic dynamic load rating (C)	97,5 kN
Basic static load rating (C0)	179 kN
(Grease) Lubrication Speed	4 300 r/min
SRI	8.67
hidYobi	QJ213

LangID	1
ALP23	0
ALP22	0
D_	120
ALP21	35
SREX	0.065
B_	23
hidTable	ecat_NSANGFP
Oil rpm	6000
C0r	18300
SRE	8.67
mass	1.2
GRS rpm	4300
ra	1.5
SRIX	0.065
D_a	111
Cr	9950
SRIN	0
C0	179
SREN	0
DE_	109.334
Prod_Type3	ACBB_FP_A
da	74
DA_	16.669
Z_	15
yobi	QJ213
ao	64.8
SDM_	92.5
r	1.5

KBRG	7764
DI_	75.652