

# NTN 4T-6461A/6420 tapered roller bearings

NTN 4T-6461A/6420 tapered roller bearings Manufacturers , Online 40 Bore Diameter (mm) Wholesale Suppliers !

|                               |               |
|-------------------------------|---------------|
| Bore Diameter (mm)            | 40            |
| Width (mm)                    | 36            |
| d                             | 40 mm         |
| Da                            | 91 mm         |
| A1                            | 3.5 mm        |
| B                             | 36 mm         |
| G                             | 12 mm         |
| H                             | 148 mm        |
| H1                            | – mm          |
| J                             | 119 mm        |
| L                             | 104 mm        |
| N                             | 13,5 mm       |
| T                             | 28,8 mm       |
| A2                            | 10 mm         |
| Weight                        | 0,78 Kg       |
| Basic dynamic load rating (C) | 30,7 kN       |
| Basic static load rating (C0) | 19 kN         |
| Housing material              | Pressed steel |
| Da min.                       | 87 mm         |
| B4                            | 7 mm          |
| s1                            | 25.3 mm       |
| Basic dynamic load rating C   | 30.7 kN       |
| Basic static load rating C0   | 19 kN         |

|   |            |
|---|------------|
| Fatigue load limit Pu                             | 0.8 kN     |
| Limiting speed                                    | 4800 r/min |
| Mass bearing unit                                 | 0.79 kg    |
| Thread grub screw G2                              | M6x0.75    |
| Hexagonal key size for grub screw N               | 3 mm       |
| Recommended tightening torque for grub screw      | 4 N·m      |
| Recommended diameter for attachment bolts, mm G   | 12 mm      |
| Recommended diameter for attachment bolts, inch G | 0.5 in     |
| Housing   | PFT 80     |
| Bearing   | YAT 208    |