

# NTN 4T-655/653 tapered roller bearings

The online NTN 4T-655/653 tapered roller bearings parts store gives you immediate access to a 35 Outer Diameter (mm) selection of more than 1.4 17x35x15 Size (mm) million new, used, remanufactured.

Size (mm)	17x35x15
Bore Diameter (mm)	17
Outer Diameter (mm)	35
Width (mm)	15
d	17 mm
D	35 mm
T	15 mm
b	4 mm
d1	35 mm
r min.	0,6 mm
A	16 mm
D1	19 mm
D2	26 mm
D3	38 mm
R	32 mm
da min.	28 mm
Da max.	24 mm
ra max.	0,6 mm
Weight	0,069 Kg
Basic dynamic load rating (C)	17,3 kN
Basic static load rating (C0)	27,3 kN

(Grease) Lubrication Speed	4800 r/min
SRI	3.4
hidYobi	53203U
LangID	1
D_	35
SREX	0.04
C	17.3
B_	15
hidTable	ecat_NSSDTB
Oil rpm	7500
SRE	3.4
mass	0.069
GRS rpm	4800
ra	0.6
SRIX	0.04
T4	15
D_3	38
D_a	24
SRIN	0
C0	27.3
D_2	26
SREN	0
D_1	19
Prod_Type3	TB_SD_WASW
da	28
DA_	6.35
Z_	11
yobi	53203U
A_	16

T3	13.2
SDM_	26
r	0.6
KBRG	5131
R_	32