

# NTN 5S-7034CT1B/GNP42 angular contact ball bearings

Online shopping NTN 5S-7034CT1B/GNP42 angular contact ball bearings from a Stainless Steel Materials of Inner and Outer Ring great selection at Store. ... 6 Days Days to Ship Accessories.

Days to Ship	6 Days
RoHS	6
Materials of Inner and Outer Ring	Stainless Steel
Bearing Style	Rubber Sealed
Outer Ring Type	Flat
d	5
Outer Diameter D(Ø)	14
B	5
Basic Load Rating Dynamic Rating(N)	1131
Revolution Frequency(rpm)	38000
Rolling Element Material	Stainless Steel
Basic Load Rating Static Rating(N)	404
Sealing Structure	Double Contact Sealed
Lubricant	NS Hairyu-bu Grease
Bearing Ring Shape	Ball
Precision	Grade 0
Specifications/Environment	Standard
Load Direction	Radial
Number of Bearing Ring Rows	Single Row
Size Standard	Metric System
Internal Clearance Symbol	MC3

Inner/Outer Ring Material	Stainless Steel
Outer Ring Shape	Flat
I.D.(Ø)	5
O.D.(Ø)	14
Width(mm)	5
Basic Dynamic Load Rating(N)	1330
Max. Allowed rpm(rpm)	38000
Retainer Type	Punching
Basic Load Rating, Static Rating(N)	505
Clearance sign	MC3 (Normal)
Accuracy(Class)	Class 0
Acoustic Symbol	No
Holder Symbol	No
Symbol of Bearing Ring Shape	No
Seal, Shield Symbols	DD
Precision Grade Symbol	No
Special Configurations Code	No
Rubugado Symbol	No
Material Symbol	No
Spacer, Sleeve symbol	H
Types	No
Type	Ball
Specifications, Environment	Standard
Outer Ring	With Outer Ring
Number of Raceway Ring Rows	Single Row
Size Standards	Metric System
Combination symbol	No
Low Torque Specification	No
Internal Symbol	No

Torque Symbol	No
---------------	----