

# NTN 6207/31 deep groove ball bearings

NTN 6207/31 deep groove ball bearings manufacturer and global supplier of reliable ball and 5x16x11 Size (mm) roller ... NTN 6207/31 deep groove ball bearings Industries Products Manufacturing & Engineering and Agricultural Bearings 16 Outer Diameter (mm) designed to meet the unique requirements of our 5 Bore Diameter (mm) targeted industries.

Size (mm)	5x16x11
Bore Diameter (mm)	5
Outer Diameter (mm)	16
Width (mm)	11
D	16 mm
d	5 mm
C	11 mm
B	12 mm
d1	12.5 mm
r1,2 – min.	0.15 mm
Basic dynamic load rating – C	4.7 kN
Basic static load rating – C0	6.6 kN
Fatigue load limit – Pu	0.72 kN
Maximum static radial loads – Fr	4 kN
Maximum static radial loads – F0r	5.7 kN
Limiting speed	4300 r/min
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	0.017

EAN	7316571592176
Product Group	B04144
Roller Surface Profile	Crowned
Profile	Yoke Type
Enclosure	Sealed
Rolling Element	Needle Bearing
Relubricatable	Yes
Inch – Metric	Metric
Other Features	Full Complement   With Flanged Inner Ring   3 Stage Sealing
Long Description	5MM Bore; 16MM Roller Diameter; 11MM Roller Width; Crowned Roller; Yoke Type; Sealed; Needle Bearing
UNSPSC	31171530
Harmonized Tariff Code	8482.40.00.00
Noun	Bearing
Keyword String	Cam Follower
Manufacturer Item Number	NATV 5 PPA
Weight / LBS	0.033
Roller Diameter	0.63 Inch   16 Millimeter
Bore	0.197 Inch   5 Millimeter
Roller Width	0.433 Inch   11 Millimeter
r1,2 min.	0.15 mm
Basic dynamic load rating C	4.73 kN
Basic static load rating C0	6.55 kN
Fatigue load limit Pu	0.72 kN

Maximum dynamic radial loads $F_{r \max}$ .	4.05 kN
Maximum static radial loads $F_{0r \max}$ .	5.7 kN
Mass support roller	0.015 kg