

NTN 68/950 deep groove ball bearings

NTN 68/950 deep groove ball bearings Industries and Applications 28 Outer Diameter (mm) ? We sell discount 12 Bore Diameter (mm) online as well as cheap machinery parts. 12x28x12 Size (mm)

Size (mm)	12x28x12
Bore Diameter (mm)	12
Outer Diameter (mm)	28
Width (mm)	12
d	12 mm
D	28 mm
B	12 mm
Da	22,3 mm
Db	16,4 mm
da	15,7 mm
db	21,6 mm
E	22 mm
F	16 mm
ra max	0,3 mm
rmin	0,3 mm
s	0,5 mm / Axial displacement
m	40 g / Weight
Cr	13000 N / Dynamic load rating (radial)
C0r	12500 N / Static load rating (radial)
Cur	2210 N / Fatigue limit load, radial

nG	22900 1/min / Limiting speed
nB	13200 1/min / Reference speed
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0.04
EAN	4012802710380
Product Group	B04144
Rolling Element	Needle Roller Bearing
Component	Complete with Outer and Inner Ring
Enclosure	Open
Self Aligning	No
Retainer	Yes
Number of Rows of Rollers	Single Row
Separable	Inner/Outer Ring – Both Sides
Closed End	No
Inch – Metric	Metric
Relubricatable	No
Thrust Bearing	No
Long Description	12MM Bore; 28MM Outside Diameter; 12MM Width; Needle Roller Bearing; Complete with Outer and Inner R
Other Features	Plain Inner Ring Plain Outer Ring Precision Bearing Steel Cage Ground Raceway
UNSPSC	31171512
Harmonized Tariff Code	8482.40.00.00
Noun	Bearing
Keyword String	Needle
Manufacturer Item Number	NA012X28X12

Weight / LBS	0.088
Bore	0.472 Inch 12 Millimeter
Width	0.472 Inch 12 Millimeter
Outside Diameter	1.102 Inch 28 Millimeter