

# NTN 7002UCG/GNP4 angular contact ball bearings

How do I place an EMERGENCY order for a NTN 7002UCG/GNP4 angular contact ball bearings that I want to pick up N/A Minimum Buy Quantity at a our 0.0 Inventory store?

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0.448
EAN	7316572101605
Product Group	B04311
Internal Clearance	C3-Loose
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Tapered
Cage Material	Steel
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Inch – Metric	Metric
Long Description	35MM Tapered Bore; 72MM Outside Diameter; 23MM Width; C3-Loose Clearance; Adapter Mount; Double Row
Other Features	Order adapter or withdrawal sleeve or nut separately. Others may be available
UNSPSC	31171510

Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Weight / LBS	0.986
B	0.906 Inch   23 Millimeter
d	1.378 Inch   35 Millimeter
Adapter Part Number	SNW07 H307 HA307 HE307 HS307 (Specify bore) Inch   H307 (Specify bore) Millimeter
D	2.835 Inch   72 Millimeter
bore diameter:	35 mm
maximum rpm:	12000 RPM
outside diameter:	72 mm
operating temperature range:	Maximum of +390 °F
overall width:	23 mm
cage material:	Steel
bore type:	Tapered 1:12
bearing material:	Steel
outer ring type:	Not Split
cage type:	Inner Ring Guided
internal clearance:	C3
precision rating:	Not Rated
closure type:	Open
finish/coating:	Uncoated
lubrication hole type:	Lubrication Groove & Hole
outer ring width:	23 mm
dynamic load capacity:	86.5 kN
fillet radius:	1 mm
static load capacity:	85 kN

series:	222
---------	-----