

# NTN 7006UCGD2/GLP4 angular contact ball bearings

Find the discount NTN 7006UCGD2/GLP4 angular contact ball bearings online you need . 0.0 Inventory We offer ... If you check out our N/A Minimum Buy Quantity large selection of NTN 7006UCGD2/GLP4 angular contact ball bearings once .

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0.22
EAN	7316577722829
Product Group	B04144
Roller Surface Profile	Flat
Profile	Yoke Type
Enclosure	Sealed
Rolling Element	Cylindrical Roller Bearing – Double Row
Relubricatable	Yes
Inch – Metric	Metric
Other Features	Full Complement   With Flanged Inner Ring   Labyrinth Seal
Long Description	17MM Bore; 47MM Roller Diameter; 20MM Roller Width; Flat Roller; Yoke Type; Sealed; Cylindrical Roll
UNSPSC	31171530
Harmonized Tariff Code	8482.50.00.00

Noun	Bearing
Keyword String	Cam Follower
Manufacturer Item Number	NUTR 1747 X
Weight / LBS	0.485
Roller Width	0.787 Inch   20 Millimeter
Roller Diameter	1.85 Inch   47 Millimeter
d	17 mm
roller diameter:	47 mm
radial static load capacity:	43 kN
roller width:	22 mm
roller material:	Chrome Steel
bore diameter:	17 mm
maximum rpm:	4500 RPM
roller shape:	Flat
lubrication hole location:	Inner Ring
bearing element:	Cylindrical Rollers
axial dynamic load capacity:	22 kN
closure type:	Sealed
axial static load capacity:	27 kN
operating temperature range:	Maximum of +280 °F
finish/coating:	Uncoated
radial dynamic load capacity:	30 kN
standards met:	ANSI/ABMA Standard 18.1
D	47 mm
C	20 mm
B	21 mm
d1	22 mm
r1,2 min.	1 mm
r, r3,4 min.	0.5 mm

Basic dynamic load rating C	22 kN
Basic static load rating C <sub>0</sub>	27 kN
Fatigue load limit P <sub>u</sub>	3.05 kN
Maximum dynamic radial loads F <sub>r</sub> max.	30 kN
Maximum static radial loads F <sub>0r</sub> max.	43 kN
Limiting speed	4500 r/min
Mass support roller	0.22 kg