

# NTN 7011UCDB/GNP5 angular contact ball bearings

Browse NTN 7011UCDB/GNP5 angular contact ball bearings 32.7500 in overall length: Categories 12.0000 in B in the Manufacturers Online Free. 8.0000 in d including .

d	8.0000 in
B	12.0000 in
overall length:	32.7500 in
seal type:	Labyrinth Seal
overall height:	18.6875 in
base height:	3.7500 in
mounting:	Four-Bolt Base
maximum operating temperature:	Max 210 °F
bearing type:	Spherical Roller
maximum rpm:	2000 rpm
bore type:	Round
lubrication type:	Lubrication Fitting
housing construction:	Split Pillow Block
bolt size:	1.6250 in
base to bore centerline:	9.5000 in
series:	SAF225
housing material:	Cast Iron
replacement bearing:	22244 CCK/W33
locking device:	Adapter Mount
Weight	577 lbs
bearing material:	Cast Iron
manufacturer product page:	<a href="#">Click here</a>

finish/coating:	Blue Alkyd/Acryl Paint (RAL 5001)
manufacturer upc number:	7316576669279
da	203.2 mm
Da	399.999 mm
Ca	117.805 mm
A1	222.25 mm
A2	304.8 mm
S	4.763 mm
ba	90.487 mm
H	474.663 mm
H1	241.3 mm
H2	95.25 mm
J min.	628.65 mm
J max.	708.025 mm
J1	133.35 mm
L	831.85 mm
N1	41.275 mm
R1	130.175 mm
R2	46.831 mm
RG	1 NPT
PG	1/4 NPT
h	79.375 mm
Housing	SAF 544
Bearing	22244 CCK/W33
Adapter sleeve assembly	SNW 44×8
Stabilizing ring	SR-44-38
Labyrinth ring	2 x LOR 168
End plug (suffix Y)	EPR 23

Bearing limiting speed	2000 r/min
P60°	423 kN
P90°	254 kN
P120°	160 kN
P150°	145 kN
P180°	173 kN
Pa	71.2 kN
Mass pillow block	262 kg
Cap bolt	4 x 1-8 UNC
Cap bolt recommended tightening torque	400 N·m
Cap bolt, SAE grade	5
Eye bolt	2 x 1/2-13 UNC
Appropriate attachment bolt size G	1.5 in
Initial grease fill	2749.95 g