

# NTN 7228BG angular contact ball bearings

What is the best place to buy NTN 7228BG angular contact ball bearings online? 75x95x10 Size (mm) Manufacturing 75 Bore Diameter (mm) Service .

Size (mm)	75x95x10
Bore Diameter (mm)	75
Outer Diameter (mm)	95
Width (mm)	10
d	75 mm
D	95 mm
B	10 mm
C	10 mm
r min.	0,6 mm
da min.	79 mm
da max	79,5 mm
Da max.	91 mm
ra max.	0,6 mm
Weight	0,149 Kg
Basic dynamic load rating (C)	12,5 kN
Basic static load rating (C0)	13,9 kN
(Grease) Lubrication Speed	6 300 r/min
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	0.06
EAN	0029176026683

Product Group	B00308
Enclosure	2 Seals
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Enclosure Type	Non-Contact Seal
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	75MM Bore; 95MM Outside Diameter; 10MM Outer Race Diameter; 2 Seals; Ball Bearing; ABEC 1   ISO P0;
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer Item Number	6815VV
Weight / LBS	0.14
Outside Diameter	3.74 Inch   95 Millimeter
Bore	2.953 Inch   75 Millimeter
Outer Race Width	0.394 Inch   10 Millimeter
bore diameter:	75 mm
closure type:	Double Sealed
outside diameter:	95 mm
internal clearance:	Normal Clearance
overall width:	10 mm
manufacturer upc number:	029176026683

bore type:	Round
SRI	2.88
hidYobi	6815VV
LangID	1
D_	95
SREX	0.015
B_	10
da min	79
hidTable	ecat_NSRDGB
SRE	2.88
mass	0.149
GRS rpm	6300
ra	0.6
SRIX	0.015
D_a	91
SRIN	-0.015
C0	13.9
fo	17.3
SREN	-0.015
DE_	90.556
Prod_Type3	DGGB_SR_VV
DA_	5.556
bomp	0
Z_	26
yobi	6815VV
C_conv	12500
ALPHA_	0
SDM_	85
r	0.6

KBRG	6151
SBRG	18
DI_	79.444