

NTN 7906CDLLBG/GNP42 angular contact ball bearings

NTN 7906CDLLBG/GNP42 angular contact ball bearings
Manufacturers , Online Wholesale 5.0 Inventory Suppliers !
N/A Minimum Buy Quantity

| | |
|---------------------------------|------------------------------------------------------------------------------------------------------|
| Inventory | 5.0 |
| Manufacturer Name | NSK |
| Minimum Buy Quantity | N/A |
| Weight | 0.001 |
| EAN | 0029176020544 |
| Product Group | B00308 |
| Enclosure | 2 Metal Shields |
| Precision Class | ABEC 1 ISO P0 |
| Maximum Capacity / Filling Slot | No |
| Rolling Element | Ball Bearing |
| Snap Ring | No |
| Internal Special Features | No |
| Cage Material | Steel |
| Internal Clearance | C0-Medium |
| Inch – Metric | Metric |
| Long Description | 3MM Bore; 10MM Outside Diameter; 4MM Outer Race Diameter; 2 Metal Shields; Ball Bearing; ABEC 1 IS |
| UNSPSC | 31171504 |
| Harmonized Tariff Code | 8482.10.50.68 |
| Noun | Bearing |
| Keyword String | Ball |

| | |
|------------------------------|----------------------------|
| Manufacturer Item Number | 623ZZ |
| Weight / LBS | 0.001 |
| D | 0.394 Inch 10 Millimeter |
| Outer Race Width | 0.157 Inch 4 Millimeter |
| d | 3 |
| bore diameter: | 3 mm |
| static load capacity: | 218 N, 49 lb |
| outside diameter: | 10 mm |
| precision rating: | ABEC 1 (ISO Class Normal) |
| overall width: | 4 mm |
| finish/coating: | Uncoated |
| bore type: | Round |
| cage material: | Steel |
| closure type: | Double Shielded |
| outer ring width: | 4 mm |
| row type & fill slot: | Single Row Non-Fill Slot |
| fillet radius: | 0.15 mm |
| internal clearance: | C0 |
| maximum rpm: | 60000 RPM |
| operating temperature range: | -10 to +110 °C |
| series: | 62 |
| dynamic load capacity: | 630 N |
| SRI | 0.89 |
| hidYobi | 623ZZ |
| LangID | 1 |
| D_ | 10 |
| SREX | 0.02 |
| C | 0.63 |
| B_ | 4 |

| | |
|------------|-------------|
| hidTable | ecat_NSESBM |
| C0r | 22 |
| SRE | 0.89 |
| rb | 0.15 |
| mass | 1.66 |
| GRS rpm | 50000 |
| SRIX | 0.02 |
| D_b | 8 |
| Cr | 64 |
| SRIN | 0 |
| C0 | 0.218 |
| fo | 12.35 |
| SREN | 0 |
| DE_ | 7.528 |
| Prod_Type3 | ESM_MD_ZZ |
| db | 4.3 |
| DA_ | 1.588 |
| Z_ | 7 |
| yobi | 623ZZ |
| SDM_ | 5.94 |
| KBRG | 6141 |
| r1 | 0.15 |
| DI_ | 4.352 |
| B1 | 4 |