

NTN 7906G/GNP42/15KQTGH angular contact ball bearings

100% Authentic. NTN 7906G/GNP42/15KQTGH angular contact ball bearings SKF Manufacturer Name Highest Quality. Certified Supplier. 0.0 Inventory

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0.244
EAN	7316577029218
Product Group	B04144
Bore Profile	Straight
Cage Material	Polymer
Precision Class	RBEC 1 ISO P0
Number of Rows of Rollers	Single Row
Separable	Inner Ring – Both Sides
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C0-Medium
Retainer	Yes
Relubricatable	Yes
Inch – Metric	Metric
Other Features	High Capacity Plain Inner Ring 2 Rib Outer Ring Cage on Outer Ring ID

Long Description	25MM Bore; Straight Bore Profile; 62MM Outside Diameter; 17MM Width; Polymer Cage Material; RBEC 1
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer Item Number	NU 305 ECP
Weight / LBS	0.537
B	17 mm
d	25 mm
D	62 mm
bore diameter:	25 mm
static load capacity:	36.5 kN
outside diameter:	62 mm
precision rating:	Not Rated
overall width:	17 mm
maximum rpm:	15000 RPM
flanges:	(2) Outer Ring
bearing material:	Steel
bore type:	Straight
cage material:	Polyamide
number of rows:	1
finish/coating:	Uncoated
internal clearance:	C0
closure type:	Open
ring separation:	Separable Ring
outer ring width:	17 mm
operating temperature range:	Maximum of +300 °F
fillet radius:	1 mm

dynamic load capacity:	46.5 kN
series:	NU3
D1 ≈	50.15 mm
F	34 mm
r1,2 min.	1.1 mm
r3,4 min.	1.1 mm
s max.	1.3 mm
da min.	31 mm
da max.	32.5 mm
db min.	36 mm
Da max.	54.9 mm
ra max.	1 mm
rb max.	1 mm
Basic dynamic load rating C	46.5 kN
Basic static load rating C0	36.5 kN
Fatigue load limit Pu	4.55 kN
Reference speed	12000 r/min
Limiting speed	15000 r/min
Calculation factor kr	0.15
Limiting value e	0.2
Axial load factor Y	0.6
Mass bearing	0.23 kg
Angle ring	HJ 305 EC