

NTN BC5-9 deep groove ball bearings

Manufacturers of all are represented in our partial list 65x140x33 Size (mm) 65 Bore Diameter (mm) of clients. Contact Gary 140 Outer Diameter (mm) for a complete NTN BC5-9 deep groove ball bearings list of clients and projects.

Size (mm)	65x140x33
Bore Diameter (mm)	65
Outer Diameter (mm)	140
Width (mm)	33
d	65 mm
D	140 mm
B	33 mm
C	33 mm
r min.	2.1 mm
da min.	77 mm
Da max.	128 mm
ra max.	2.0 mm
Weight	2.08 Kg
Basic dynamic load rating (C)	92,5 kN
Basic static load rating (C0)	59,5 kN
(Grease) Lubrication Speed	4700 r/min
Inventory	0.0
Manufacturer Name	NACHI
Minimum Buy Quantity	N/A
Weight / Kilogram	0
Product Group	B00308

Enclosure	Open
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	65MM Bore; 140MM Outside Diameter; 33MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No Fi
Other Features	Deep Groove
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Weight / LBS	4.885
Inner Race Width	0 Inch 0 Millimeter
Outer Race Width	1.299 Inch 33 Millimeter
Bore	2.559 Inch 65 Millimeter
Outside Diameter	5.512 Inch 140 Millimeter
Bore Type	Cylindrical Bore
Configuration	Single Row
Bore Size	65 mm
Width	33 mm
Fillet Radius/Chamfer	2.1 mm
Dynamic Load Rating	92,500 N
Static Load Rating	59,500 N

Limiting Speed – Grease	4,900 rpm
Limiting Speed – Oil	6,000 rpm
Factor fo	13.2
Radial Clearance	0.008 to 0.028 mm
da (min)	77 mm
Da (max)	128 mm
ra (max)	2 mm