

NTN DCL1612 needle roller bearings

What is the best place to buy 62 Bore Diameter (mm) NTN DCL1612 needle roller bearings online? Manufacturing Service 62x40x23 Size (mm) .

Size (mm)	62x40x23
Bore Diameter (mm)	62
Outer Diameter (mm)	40
Width (mm)	23
d	40 mm
D	62 mm
B	23 mm
C	22 mm
F	48 mm
r1,2 – min.	0.6 mm
s	0.5 mm
da – min.	44 mm
Da – max.	58 mm
ra – max.	0.6 mm
Basic dynamic load rating – C	36.9 kN
Basic static load rating – C0	58.5 kN
Fatigue load limit – Pu	7.1 kN
Limiting speed	4000 r/min
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
UNSPSC	31171512

Weight / Kilogram	0.261
EAN	7316577012166
Product Group	B04144
bore diameter:	40 mm
dynamic load capacity:	36.9 kN
outside diameter:	62 mm
static load capacity:	58.5 kN
overall width:	23 mm
maximum rpm:	4000 rpm
needle bearing type:	Machined Bearing with Inner Ring
flanges:	With Flanges
closure type:	Double Sealed
seal material:	Nitrile
number of rows:	One
series:	NA
bearing material:	Steel
lubrication hole type:	Hole on Outer Ring
operating temperature range:	-40 to +210 °F °F
precision rating:	Not Rated
cage material:	Steel
manufacturer upc number:	7316577012166
r _{1,2} min.	0.6 mm
s max.	0.5 mm
d _a min.	44 mm
D _a max.	58 mm
r _a max.	0.6 mm
Basic dynamic load rating C	36.9 kN
Basic static load rating C ₀	58.5 kN

Fatigue load limit Pu	7.1 kN
Mass bearing	0.25 kg