

# NTN F-WA676ZZ deep groove ball bearings

What is NTN F-WA676ZZ deep groove ball bearings 76,2 mm d in mechanical engineering? Manufacturing Service . Upload your 76,2 Bore Diameter (mm) CAD file for an instant.

Bore Diameter (mm)	76,2
Width (mm)	77,9
d	76,2 mm
s1	47,7 mm
A1	58,7 mm
B	77,9 mm
G	20 mm
J	152,4 mm
L	197 mm
T	82,6 mm
A2	22,2 mm
Weight	8 Kg
Basic dynamic load rating (C)	72,8 kN
Basic static load rating (C0)	53 kN
Fatigue load limit (Pu)	2,16
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	7.023
EAN	7316571330143
Product Group	M06110
Number of Mounting Holes	4

Mounting Method	Set Screw
Housing Style	4 Bolt Square Flange Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	3/4 Inch
Relubricatable	Yes
Insert Part Number	YAR 216-300-2F
Seals	M Seal
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch – Metric	Inch
Long Description	4 Bolt Square Flange Block; 3" Bore; 8-1/2" Bolt Circle; 6" Bolt Spacing; 1 Piece Sol
Other Features	Single Row   Medium Duty   Wide Inner Race   Open End   Has Flinger
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer Item Number	FYM 3. TF
Weight / LBS	17.8
Length Thru Bore	3.067 Inch   77.9 Millimeter
Cartridge Pilot Diameter	0 Inch   0 Millimeter
Bolt Spacing	6 Inch   152.4 Millimeter
Cartridge Pilot Depth	0 Inch   0 Millimeter
Nominal Bolt Circle Diameter Round	8.5 Inch   215 Millimeter

Bore	3 Inch   76.2 Millimeter
------	--------------------------