

# NTN K35X42X30 needle roller bearings

NTN K35X42X30 needle roller bearings with easy-to-use parts graphics, giving you the ability 0.0 Inventory to N/A Minimum Buy Quantity check parts availability, pricing, examine remanufactured options.

Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	0.74
EAN	4547359541670
Product Group	B04270
Enclosure	2 Metal Shields
Precision Class	ABEC 5   ISO P5
Material – Ball	Steel
Number of Bearings	1 (Single)
Contact Angle	0 Degree
Preload	None
Raceway Style	Not Applicable
Cage Material	Steel
Rolling Element	Ball Bearing
Enclosure Type	Non Contact Shield
Flush Ground	No
Inch – Metric	Metric
Other Features	Single Row   Deep Groove

Long Description	22MM Bore; 44MM Outside Diameter; 12MM Width; 2 Metal Shields Enclosure; ABEC 5   ISO P5 Precision;
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Deep Groove Ball
Manufacturer Item Number	60/22ZZP5
Weight / LBS	1.631
d	0.866 Inch   22 Millimeter
D	1.732 Inch   44 Millimeter
B	0.472 Inch   12 Millimeter
bore diameter:	22 mm
static load capacity:	5050 N
outside diameter:	44 mm
precision rating:	ISO Class 5
overall width:	12 mm
finish/coating:	Uncoated
bore type:	Round
bearing material:	High Carbon Chrome Steel
closure type:	Double Shielded
cage material:	Steel
row type & fill slot:	Single Row Non-Fill Slot
inner ring width:	12 mm
snap ring included:	Without Snap Ring
outer ring width:	12 mm
internal clearance:	CN
maximum rpm (grease):	17000 rpm
operating temperature range:	-40 to 120 °C

fillet radius:	0.6 mm
dynamic load capacity:	9400 N
manufacturer product page:	<a href="#">Click here</a>