

NTN KMJ10X14X9.8 needle roller bearings

Manufacturers of 32 Outer Diameter (mm) all are represented 15x32x9 Size (mm) in our partial list of clients. Contact Gary for a complete NTN KMJ10X14X9.8 needle roller bearings list of clients and projects.

Size (mm)	15x32x9
Bore Diameter (mm)	15
Outer Diameter (mm)	32
Width (mm)	9
d	15 mm
D	32 mm
B	9 mm
C	9 mm
d1	– mm
d2	18,7 mm
r1 min.	17 mm
r2 min.	17 mm
D1	28,2 mm
D2	0,3 mm
da min.	17 mm
Da max.	30 mm
ra max.	0.3 mm
Weight	0,03 Kg
Basic dynamic load rating (C)	5,85 kN
Basic static load rating (C0)	2,85 kN
Fatigue load limit (Pu)	0,12

Reference speed	50000 r/min
Limiting speed	26000 r/min
Calculation factor (f0)	14
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	0.032
EAN	7316571818900
Product Group	B00308
Enclosure	2 Seals
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Enclosure Type	Contact Seal
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	15MM Bore; 32MM Outside Diameter; 9MM Outer Race Width; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No F
Other Features	Deep Groove Low Friction NBR Seal
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer Item Number	6002-2RSL

Weight / LBS	0.071
Bore	0.591 Inch 15 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Outside Diameter	1.26 Inch 32 Millimeter
Outer Race Width	0.354 Inch 9 Millimeter
d2 ≈	18.3 mm
D2 ≈	28.2 mm
da max.	18.5 mm
Basic dynamic load rating C	5.85 kN
Basic static load rating C0	2.85 kN
Fatigue load limit Pu	0.12 kN
Calculation factor kr	0.025
Calculation factor f0	14
Mass bearing	0.03 kg