

NTN KV12X17X17.8 needle roller bearings

High Quality NTN KV12X17X17.8 needle roller bearings. Competitive Pricing. Accept 130 Outer Diameter (mm) Small Order. Easy 85x130x30 Size (mm) and Fast Shipping.

Size (mm)	85x130x30
Bore Diameter (mm)	85
Outer Diameter (mm)	130
Width (mm)	30
d	85 mm
D	130 mm
T	30 mm
B	29 mm
C	24 mm
ra1 max.	2,5 mm
a	29,5 mm
r min.	3 mm
r1 min.	2,5 mm
Da	117 mm
db	92 mm
ra max.	3 mm
da	98 mm
Db	125 mm
Weight	1,404 Kg
Basic dynamic load rating (C)	138 kN
Basic static load rating (C0)	222 kN
(Grease) Lubrication Speed	2600 r/min

(Oil) Lubrication Speed	3600 r/min
Calculation factor (e)	0,44
Calculation factor (Y0)	0,74
LangID	1
ALP23	0
outer r	2.5
ALP22	0
D_	130
ALP21	33
SHOG_yobi	JM716649R/JM716610R
RAr	217.701
inner r	3
GRS rpm	2600
D_b	125
D_a	117
DE_	117.173
SLR	22.5
Prod_Type3	TRBSR_ID_A
BETA_	1
ALPHA_	16.5
SDM_	107.157
DA1	11.081
DA2	9.939
hidYobi	JM716649/JM716610
Y1	1.4
B_	29
Oil rpm	3600
hidTable	ecat_NSTPRI
Y0	0.74

inner ra	3
outer rb	2.5
C0	222
CUP	0.461
e	0.44
DA_	10.512
BET21	2
BET22	55
BET23	0
Z_	26
C_	24
yobi	JM716649/JM716610
KBRG	3141
CONE	0.943
DI_	96.932