

NTN LM763449D/LM763410+A tapered roller bearings

170 Million used NTN LM763449D/LM763410+A tapered roller bearings 6,35 Bore Diameter (mm) instantly searchable. Shop our 6.35×17.45×1.984 Size (mm) large selection of parts based on brand, price, description, and location. Order the with stock 17,45 Outer Diameter (mm) ...

Size (mm)	6.35×17.45×1.984
Bore Diameter (mm)	6,35
Outer Diameter (mm)	17,45
Width (mm)	1,984
d	6,35 mm
D	17,45 mm
T	1,984 mm
Ea	14,732 mm
Eb	8,636 mm
Weight	0,001 Kg
Basic dynamic load rating (C)	5,12 kN
Basic static load rating (C0)	10,76 kN
Inventory	519.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	0.002
EAN	0605790213861
Product Group	B04144
Rolling Element	Needle Roller Bearing
Self Aligning	No

Component Description	Roller Assembly Only
Thrust Bearing	Yes
Single or Double Direction	Single Direction
Banded	No
Cage Material	Steel
Precision Class	ABEC 1 ISO P0
Other Features	Single Row Two Piece Cage
Long Description	1/4" Bore 1; 1/4" Bore 2; 11/16" Outside Diameter; 5/64" Height; Needle Roller B
Inch – Metric	Inch
UNSPSC	31171500
Harmonized Tariff Code	8482.99.25.40
Noun	Roller Assembly
Keyword String	Thrust Needle
Manufacturer Item Number	NTA-411
Weight / LBS	0.003
Bore 1	0.25 Inch 6.35 Millimeter
Bore 2	0.25 Inch 6.35 Millimeter
Overall Height with Aligning Washer	0 Inch 0 Millimeter
Outside Diameter	0.688 Inch 17.475 Millimeter
Height	0.078 Inch 1.981 Millimeter
Bearing No.	NTA-411
Dc1	6.35
Dc	17.45
Dw	1.984
Ca	5.12
C0a	10.76

Cu	1.05
Limiting speeds(min-1)	26000
(Refer.)Mass(kg)	0.001
Washer designation	TRA-411
d1	17.45
h(max)	0.81
h(min)	0.76
S(max)	6.35
S(min)	6.27
H	18.26
(Refer.)Washer mass(kg)	0.001